

### *jetStamp 1025 sense*

**\*\* NOW \*\*** Printing options of up to 2 inches with corresponding accessories • *jetStamp 1025* with integrated measuring device • Available sensors: Barcode Scanner, V24-RS232 sensor adapter cable • Max. print size: 85 x 52 mm (W x H) = 2 inch with corresponding accessories



### **MEASUREMENT DOCUMENTATION from a single source**

The 'sense' makes the difference! In addition to the basic *jetStamp 1025* model, REINER® offers an additional device solution for mobile measuring tasks and their immediate documentation as direct printing.

The *jetStamp 1025 sense* model offers maximum flexibility in the documentation of measured values. This model works without external, additional measuring devices. The required sensor ([barcode scanner](#), [V24-RS232 sensor adapter cable](#)) is connected directly to the device. The *jetStamp 1025 sense* is therefore a closed measuring device with an integrated printer.

The recorded measured value can be printed directly and repeatedly on documents and other surfaces at the measuring location. The measurement results are documented immediately and therefore always remain tangible, visible and permanently traceable.


**REINER® offers various accessories for the *jetStamp 1025 sense*, see [accessories](#).**

Expand your possibilities and print larger impressions with maximum precision!

- Various measuring tasks with a single measuring device
- Available sensors: Barcode Scanner, V24-RS232 sensor adapter cable
- 100% mobile
- Max. print size: 85 x 52 mm (W x H) = 2 inch with corresponding accessories

## jetStamp 1025 sense - Technical Data


Imprint:	Measurement results (sense objects), number, date, time, text, 1D Code & 2D Code sequential, graphic
Prints from:	PCset graphic, MOBILEset graphic, Word, Excel, Labelsoftware, ERP system such as SAP, Oracle, Microsoft Dynamics, Lexware
Display:	Display available
Dimensions (L x W x H):	195 x 100 x 200 mm
Weight:	ca. 900 g
Data transfer:	USB, Bluetooth, WiFi/WLAN capable
Storable print images:	255 storable print images
Print technology:	Inkjet
Max. print area dimension (W x H):	85 x 25 mm
Max. print speed:	< 1 s/print
Print resolution:	300 dpi
Battery capacity:	up to 1.000 prints
Order No.	1030 000-200   jetStamp 1025 sense incl. case
Printer Cartridges:	<a href="#">Please select desired print cartridge separately here</a>

Order No.	Sample Prints	Figure size
1030 000-200		25 mm
1030 000-200	<p>T: 25.0°C   rF: 29.9%</p> <p>CO2: 742ppm</p> <p>p: 900hPa   h: 985mNN</p>	25 mm

Order No.	Sample Prints	Figure size
	2022-12-04 16:26 370.50 g 80 PC <b>REINER</b> 	20 mm
1030 000-200	 <b>27.4 °C</b> 14.Aug.2024 - 14:07:45 	20 mm
1030 000-200	<b>REINER jetStamp</b> Surface temperature measurement <b>25.70 °C</b> Date:2024-08-14 Time:14:05:01	20 mm

jetStamp 1025 sense - Accessories

**Indicator of print position**  
for consistent imprints on small or curved objects



Order-No.: 1037 210-000

**Application metal templates**  
Support printing on small parts and flexible materials



Order-No.: 1037 240-000

*jetStamp 1025 sense* - Accessories

**Ink trays - self-adhesive tray for spitting**  
Optimize special and sensitive print images



Order-No.: 1037 230-000

**TEXTILE protective sleeve**  
Protects the device against dust, and dirt



Order-No.: 1037 260-000

**Printing station**  
with automatic triggering directly at the workplace



Order-No.: 1037 300-000

**Swivel arm *jetStamp***  
Individually adjustable holding arm for the ideal printing position



Order-No.: 1037 270-000

*jetStamp 1025 sense - Accessories*

**Accu AA**

High-performance. Very durable. Long-lived.



Order-No.: 946 192-100

**Retaining strap**

Protection against fall damage, easy handling.



Order-No.: 1037 580-000

**Centering aid for pallet block EPAL**

For optimum positioning on EPAL block



Order-No.: 1037 670-000

**Guide template ADHESIVE COATING**

52 mm pressure on smooth surfaces. EPAL-approved.



Order-No.: 1037 630-000

*jetStamp 1025 sense* - Accessories

**Guide template SPIKES**

52mm pressure on rough surfaces. EPAL-approved.



Order-No.: 1037 630-010

**V24-RS232 sensor adapter cable**  
for stationary measuring equipment



Order-No.: 1037 540-010

**Shockproof Cover SILICONE**

Optimum protection for your *jetStamp 1025 sense* against dust, dirt and shocks



Order-No.: 1037 600-010

**Barcode Scanner**

Simply connect, scan barcodes and print data



Order-No.: 1037 520-010

## *jetStamp 1025 sense* - Accessories

### **Pedal-Switch**

External printing trigger by foot or hand



Order-No.: 381 050-005

### **Suitcase jetSafe BASIC**

for secure transport and storage of handheld inkjet printers



Order-No.: 1037 010-100

### **jetSafe PRO suitcase**

Maximum security, robust construction, flexible storage



Order-No.: 1037 040-000

### **Replacement seals P5-S3 – pack of 10**

Protects cartridge, prevents drying out, ensures precise printing.



Order-No.: 1037 290-000

## jetStamp 1025 sense - Accessories

### Replacement seals P5-MP3/MP4 - pack of 10

Protects cartridge, prevents drying out, ensures precise printing.



Order-No.: 1037 290-100

## jetStamp 1025 sense - Printer cartridges

### Ink cartridge

#### P5-S3-BK

for absorbent surfaces



Adheres to:

Paper, cardboard, wood,  
stone/brick, concrete,  
textiles, felt, nonwovens,  
natural fibers

Order-No.: 1037 100-000

### Ink cartridge

#### P5-MP3-BK

for non-absorbent surfaces



Adheres to:

Paper, cardboard, wood,  
stone/brick, metal, plastic

Order-No.: 1037 100-120



*jetStamp 1025 sense* - Printer cartridges

**Ink cartridge**  
**P5-MP4-BK**  
for non-absorbent surfaces



Adheres to: Paper, cardboard, wood,  
stone/brick, metal, plastic,  
glass

---

Order-No.: 1037 100-130

---

**Ink cartridge**  
**P5-MP6-YE**  
for non-absorbent surfaces



Adheres to: Paper, cardboard, wood,  
stone/brick, metal, plastic,  
glass

---

Order-No.: 1037 100-140

---